



Body		
QTY	Description	Extra Body Info
1	108T	

Body Dimensions	
SS Compartment Lengths in Inches	25.75/25.25/27.25/53.5/24.25
CS Compartment Lengths in Inches	25.75/WU/29.25/53.5/24.25
Front of body to CA	105"
Overall Body Length	156"
Compartment Mounting Height From floor to TOC	27"
Overall Width	94"
Pack Depth	18"
Floor Width	58"
Pack Height	48"
Chassis CA	122"
Front outrigger inside body Cutouts/ Or outside of body	Outside of Body
Rear outrigger inside body Cutouts/ Or outside of body	Outside of Body
Body Color	White
Body Lights	In Rear of Tailshelf

Body/Compartment Accessories			
QTY	Description	Location	Special Instructions
1	Under Structure	Under Structure	Galvanized
1	Floor Material	Floor	Aluminum
1	Rope Light Compt Lighting	See Special Instructions	Both Sides & Top of All Compts
4	Wheel Chock Holder	Both SS & CS	Fender
1	Rubber Mounted Grip Strut Step	Ship Loose	For Access Way
1	Drip Rail	See Special Instructions	Above Compt Doors
2	Alum Rock Guards	See Special Instructions	Front Bottom Corner of Body. Marker Light Mounted 1" Above Each Guard.
1	Tailboard	Second Vertical (CS)	Yellow
7	Locking Swivel Hook	First Vertical (SS)	2-3-2 at top
7	Locking Swivel Hook	Second Vertical (SS)	2-3-2 at top
7	Locking Swivel Hook	Third Vertical (SS)	2-3-2 at top
1	Adjustable Shelf W/Dividers	Horizontal (SS)	
1	Bottom of Compt Tray W/Dividers	Horizontal (SS)	
7	Locking Swivel Hook	Rear Vertical (SS)	2-3-2 at top
1	Pullout Drawer	First Vertical (CS)	Bottom drawer Mounted 8" up from clear door opening. Drawers to be Aprox 6" deep to fill the compartment above the 8" clear door opening. If the last shelf needs to be smaller to fill the compartment please do so.
1	Access Way W/Grip Strut Steps & Understep Storage	Second Vertical (CS)	To have (2) grab handles in access way.
1	Pullout Drawer	Third Vertical (CS)	Bottom drawer mounted 8" up from clear door opening. Fill compartment with Aprox 4" deep drawers.
1	Adjustable Shelf W/Dividers	Horizontal (CS)	
1	Bottom of Compt Tray W/Dividers	Horizontal (CS)	
1	Durham Cabinet	Rear Vertical (CS)	18D parts bid in compartment bottom on angles riser.
1	Pullout Drawer	Rear Vertical (CS)	Aprox 6" deep pull out drawers above the 18D to fill the compartment.
1	Punched Alum Tray	SS	12"H X 18"W x 156 length of body.
1	Alum Tailshelf	Ship Loose	With Possum Belly

Other				
QTY	Description	Hyper Link to Photo/Drawing	Part Number	Mounting Location/Special Instructions
1	Bucket Cover 24"X48" W/Control	<a href="#">Click here oncel.</a>	CB-8 W/C	On Bucket
1	Bucket Liner W/Inside Step 24"X48"X42"	<a href="#">Click here oncel.</a>	L4842S	In Bucket
2	Mudflap 24"X24" USSI	<a href="#">Click here oncel.</a>	B24LXC,MF-BRKT	Behind Rear Tires
4	Outrigger Pad 24X24 With Holder	<a href="#">Click here oncel.</a>	ZZD2424,6003005A-2	Near O/R's
4	Rubber Wheel Chocks	<a href="#">Click here oncel.</a>	FA-26-R	In Holders
3	4" PVC With Aluminum Cap Kit	<a href="#">Click here oncel.</a>	689-9969,CC400	in possum belly center. 9' 3" long capped on one end. Drop down door at rear.
2	Tailboard Composite 2"X6" (Yellow)	<a href="#">Click here oncel.</a>	FD2X6X8MYA	Perimeter of tailshelf removable.
5	Locking Swivel Hook Single	<a href="#">Click here oncel.</a>	ZN-263113	3 on boom rest behind window centered, 2 on back of material tray under upper boom.
1	Double Wire Reel Holder	<a href="#">Click here oncel.</a>	6003094	CS of tail skirt pay out to CS.
1	Cone Holder Front Bumper	<a href="#">Click here oncel.</a>	6003018	SS
1	Transformer Holder T Bracket		6003221	Transformer carrier SS top of tail skirt. Simulair to 6003221 but no grab handle and the T bracket to be on the SS of the transformer holder.
1	Singlephase Holder Condctr Rnd	<a href="#">Click here oncel.</a>	ZZC400-1669	Ship Loose
1	Triple Phase Holder		ZZCHT400-1857	Ship Loose
1	Rubber Pad for Boom Protection		434-1	Rear of Tailshelf
1	Paint Non-Skid Black		AS-150	Walking Surfaces

Towing				
QTY	Description	Hyper Link to Photo/Drawing	Part Number	Mounting Location/Special Instructions
1	RV Style Trailer Socket W/Mounting Plate	<a href="#">Click here oncel.</a>	12-707/6003191	Rear
1	Brake Controller Tekonsha	<a href="#">Click here oncel.</a>	9030	Under Dash
1	Eyelet Weld On 5/8" Diam	<a href="#">Click here oncel.</a>	3024T18	Rear
1	15/25 Ton Pintle Hitch Plate (Big Trucks)	<a href="#">Click here oncel.</a>	6003011	Rear
1	15 Ton Swivel Pintel Hook	<a href="#">Click here oncel.</a>	BP125A	Rear
2	Hitch Spacer 4"	<a href="#">Click here oncel.</a>	6003155	Under Frame Rails

Lights				
QTY	Description	Hyper Link to Photo/Drawing	Part Number	Mounting Location/Special Instructions
2	Mini Light Bar Amber SYMICRO	<a href="#">Click here oncel.</a>	SYMICROMBP-A	1 on CS and SS mounted off boom rest or front of body.
1	License Plate Light Incandecent	<a href="#">Click here oncel.</a>	15011	Rear
2	SYFLAT Surface Mount Led Strobe Light	<a href="#">Click here oncel.</a>	SYFLAT6-AA	Grille
4	S/T/T + B/U + Strobe Combo 4" Round Light	<a href="#">Click here oncel.</a>	SY1432ACRS	Tailshelf Back up lights also on separate switch.
2	Work Light LED W/O Switch W/Bracket	<a href="#">Click here oncel.</a>	SYTLED1400R-FL, SYMB-BB	Top Front & Rear of Pedestal
1	Lumabar	<a href="#">Click here oncel.</a>	AY-LB-12HW020	Access Way
1	Milwaukee Bucket Light	<a href="#">Click here oncel.</a>	2122-20	Milwaukee bucket light 2122-20
1	Milwaukee Utility Light Kit	<a href="#">Click here oncel.</a>	2123-21HD	Milwaukee Utility light 2123-21HD. Fab Metal bracket on CS of hood for light to mount on when needed.

Electrical Other Than Lights				
QTY	Description	Hyper Link to Photo/Drawing	Part Number	Mounting Location/Special Instructions
1	Back-Up Alarm Dual Function	<a href="#">Click here oncel.</a>	STA20502DW	Normal
1	Backup Camera 9" Monitor	<a href="#">Click here oncel.</a>	ZZRV-905A	USSI Std
1	1500 Watt Inverter Low Profile (Ultimate Power)	<a href="#">Click here oncel.</a>	ZZUP12/1500LP-CG	Mounted in cab on back wall between seats. Outlets to face the floor.
1	120V Outlet Single GFI Horizontal Cover	<a href="#">Click here oncel.</a>	3612958,CA26-GH, GFNT2-I	CS recessed in tail skirt
1	Wire Body/Compartment Lighting		No Part Selected	
2	Wire Harness Motion Alarm	<a href="#">Click here oncel.</a>	6006MAH10	1 for each set of O/R's
1	Wire Harness Tailshelf Left	<a href="#">Click here oncel.</a>	6006THL12	
1	Wire Harness Tailshelf Right	<a href="#">Click here oncel.</a>	6006THR12	

Hydraulic / Connection Parts/PTO & Pump				
QTY	Description	Hyper Link to Photo/Drawing	Part Number	Mounting Location/Special Instructions
2	Quick Couple Kit 1/2" With Covers	<a href="#">Click here oncel.</a>	FF-371-8FP,FF-372-8FP, TFF38N,TMF38N	
1	PTO (IH MV607 4x2)	<a href="#">Click here oncel.</a>	ZZ280GGFJP-B5RK	
1	Pump (IH MV607 4x2)	<a href="#">Click here oncel.</a>	ZZP315A196UNAB15-65	

Boxes/Trays				
QTY	Type	Type of Lid/Door	Size/Part Number	Mounting Location/Special Instructions
1	Pull_Out_Drawer	Does_Not_Apply	FEDA073044 (Large Trucks)	rear between frame rails with dividers ussi std.
1	Material_Box	Drop_Down_Open_Doors	1705103 BUYERS	to fit under tail skirt SS and CS with vertically hinged door.
1	Material_Box	Drop_Down_Open_Doors	1705103 BUYERS	to fit under tail skirt SS and CS with vertically hinged door.
1	Material_Box	Top_Lift_Open_Lids	MBTO272456	Mounted in load space in front. On loadspace floor width of load space height of compartments. Lift up lid.
1	Material_Box	Top_Lift_Open_Lids	MBTO1218103	Rubber goods box top of CS rear compartments lift up lid access from load space lined.
2	Sign Stand Holder	N/A	6003286	6003286 one mounted on CS and SS front of body

USSI Fabrication				
QTY	Description (Put a 1 in QTY for all that apply)	Part Number	Mounting Location/Special Instructions	
1	Prep Chassis			
1	Hook Up Fuel Fill each 15,000# GVWR and Over			
1	Fab & Install Boom Support			
1	Install Mounting Brackets for Body			
1	Fab & Install Bucket Support			
25	Plumb Unit & Fill with Flowmite 22 Hydraulic Oil (Per gallon)			
1	Plumb Main Outriggers			
1	Plumb Auxiliary Outriggers			
1	Install Stop/Start/Throttle on Chassis in Lieu of Wired Rite SST			
1	Install Return Filter			
1	ANSI Inspection			
1	Dielectric Test			
1	DOT Inspection			
1	Clean and Prep for delivery			
1	Stability Test			



412 Randolph Drive, Appleton, Wisconsin, 54913, Office (920) 788-2699 Fax (920) 788-4699

Quote Date: 6/6/2022

Quote No: 220314

James Lincoln  
Lodi City of Utility  
249 Water Street, Lodi WI 53555

Dear Mr. James Lincoln,

*UTILITY SALES and SERVICE, INC.* is pleased to submit the following quote. Please review before signing this purchase contract. After signing this contract, any and all changes will result in a change order. If a change order is required, cost may be added to the total purchase cost.

The above listed customer, Cooperative, or municipality hereby agrees to purchase the Vehicle per Utility Sales and Service, Inc. Quotation No. listed above, and dated above. Further, by executing this agreement, the undersigned asserts that he/she has the authority to commit the resources of the customer listed above.

Pursuant to this agreement, The above listed customer asserts that this sale qualifies for sales tax exemption under \_\_\_\_\_ And all use of the Vehicle quoted conforms to the Wisconsin Administrative Tax Rule. If ever in the future it is determined that any tax, penalties or interest are due, they are the sole responsibility of the listed customer.

### *Price Information*

AERIAL, BODY, ACCESSORIES & INSTALLATION:		\$234,460
CHASSIS: International 4x2 DieselReg Cab	Customer Supplied	\$0.00
NET PRICE F.O.B.		\$234,460

## Terms & Conditions

- 1 Your sales terms for this order: Net 30 days
- 2 Estimated delivery date: 11/30/2023  
Depending on the large component delivery dates.
- 3 This quote is valid until date: 7/6/2022
- 4 This quotation does not include any applicable sales taxes, title or license fees.
- 5 (\*\*\*) All cost increases including surcharges for major components (Chassis, Aerial, Body, Parts) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to invoices.
- 6 USSI do not guarantee to match the color of the body to the chassis cab or other painted components. A close match can be achieved by the customer providing an approved, non-metallic dry sample of paint. When metallic paint is used, the closest possible match can only be achieved by painting the body with metallic paint. Contact USSI for cost of painting the body, if desired.

7 **CLARIFICATION:** When Utility Sales and Service, Inc. (USSI) is requested to provide a chassis in response to a bid specification we do so as a service to our valued customer. USSI does not assume the chassis manufacturer’s warranty. In addition, USSI does not provide transportation to or from our customer’s preferred chassis dealer. USSI is responsible for assuring that the chassis conforms to the letter of the written specification (if said spec. is appropriate, available and feasible) in the bid request provided by our customer. USSI administers all equipment and body manufacturer’s warranties applicable to components we install onto the chassis and provide a one-year warranty (from the date of delivery of the completed unit) on USSI workmanship.

8 This Purchase Contract is subject to the STANDARD TERMS AND CONDITIONS OF SALE-USSI HOLDINGS, INC., d/b/a Utility Sales and Service-EQUIPMENT & VEHICLES (the “Terms and Conditions”), as found on our webpage for equipment & vehicles terms & conditions or , PARTS AND SERVICE (the “Terms and Conditions”), as found on our webpage for parts & service terms & conditions or by contacting Utility Sales & Service Sales Department at 920-788-2699 to obtain copies. The terms of the Terms and Conditions are incorporated into herein and made part hereof and shall apply to this purchase and sale except where special requirements are stated elsewhere; in such cases, the special requirements shall apply. Delivery and acceptance of the equipment and/or vehicle subject to this invoice shall constitute unconditional acceptance of the Terms and Conditions. Delivery of the parts or completion of the service subject to this invoice shall also constitute unconditional acceptance of the Terms and Conditions.

Name: (Print): James Lincoln

TITLE: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

DATE: \_\_\_\_\_

*Please verify Contact information below is the Current Information for your Unit.*

Shipping Address: 249 Water Street, Lodi WI 53555

Billing Address: 130 South Main Street, Lodi WI 53555

Purchase Order Number \_\_\_\_\_

Contact Number: 608-695-3061 cell#

Email Address: ljlincoln@cityoflodi.us

Thank you for considering *UTILITY SALES & SERVICE, INC.* to meet your needs in utility equipment. We look forward to serving you.

Sincerely,

*Matt Wedig*

Outside Sales Rep: Matt Wedig (262)443-4416, mattw@utilityssi.com

Inside Sales Rep: Jason Janquart, (920) 788-2699 jasonj@utilityssi.com